

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

General construction characteristics

The undersigned, Mr. Liangliang Kong / TD manager
 Hereby certifies that the following complete vehicle:
 0.1. Make (trade name of the manufacturer): YUFENG
 0.2. Type: YF850DZH
 0.2.1. Variant: 00
 0.2.2. Version: 00
 0.2.3. Commercial name (if available): ADVENTO MAXI
 0.3. Category, subcategory and sub-subcategory of vehicle: L2e-U
 0.4. Company name and address of manufacturer:
 JINYI YUFENG VEHICLE CO., LTD.
 Cunqian Village, Huangli Town, Wujin District, Changzhou City, Jiangsu,

P.R. China
 0.4.2. Name and address of manufacturer's authorized representative (if any):
 Energy Adventure s.r.o.
 Jeseniova 1151/55, 130 00 Praha 3,
 Czech Republic

0.5.1. Location of the manufacturer's statutory plate(s):
 Riveted on the right side of chassis.
 R, X1050, Y250, Z255

0.5.2. Method of attachment of the manufacturer's statutory plate(s):
 By riveted

0.6. Location of the vehicle identification number:
 R, X520, Y4, Z295

1. Vehicle identification number: ☆LXX5W5Z03L0200028☆
 conforms in all respects to the type described in EU type-approval
 (e6*168/2013*00059*00 type-approval number including extension number) issued
 on (26, 06, 2020 date of issue) and can be permanently registered in Member States
 having right/left-hand traffic and using metric/imperial units for the speedometer.
 Changzhou, P.R. China

 (place)

 (date)



 (signature)

1.3. Number of axles: 2 and wheels: 3 N.A.
 1.3.1. Axles with twinned wheels: R
 1.3.2. Powered axles:
 6.2.4. Advanced braking system: -ABS / CBS / Both-ABS and CBS / None:

Main dimensions

2.2.1. Length: 2625mm
 2.2.2. Width: 960mm
 2.2.3. Height: 1320mm
 2.2.4. Wheelbase: 1785mm
 2.2.4.1. Wheelbase sidecar: N.A.
 2.2.5. Track width: N.A.
 2.2.5.1. Track width front: N.A.
 2.2.5.2. Track width rear: 850mm
 2.2.5.3. Track width sidecar: N.A.
 2.2.10.6 Ground clearance between the axles: N.A.
 2.2.15. Wheelbase to ground clearance ratio: N.A.
 2.2.17. Seat height: N.A.

Masses

2.1.1. Mass in running order: 145 kg
 2.1.2. Actual mass: 245 kg
 2.1.3. Technically permissible maximum laden mass: 545 kg
 2.1.3.1. Technically permissible maximum mass on front axle: 165 kg
 2.1.3.2. Technically permissible maximum mass on rear axle: 380 kg
 2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.
 2.1.7. Technically permissible maximum towable mass: N.A.

Braked: N.A.
 Unbraked: N.A.

2.1.7.1. Technically permissible maximum laden mass of the combination: N.A.
 2.1.7.2. Technically permissible maximum mass at the coupling point: N.A.

Powertrain

3.1.1.1. Manufacturer: N.A.
 3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
 3.2.1.2. Working principle of the combustion engine: N.A.-
 3.2.1.4.1. Number of cylinders: N.A.

3.2.1.4.2. Arrangement of cylinders:	N.A.	6.16.1. Number of seating positions:	1
3.2.1.5. Engine capacity:	N.A.	6.16.1.1. Location and arrangement:	R1:1C
1.9. Maximum net power:	N.A.	Coupling devices	
1.10. Ratio maximum net power/mass of the vehicle in running order:	N.A.	7.2.8. Type-approval number of coupling-device:	N.A.
3.2.3.1. Fuel type:	N.A.	Environmental performance	
3.2.3.2. Vehicle fuel combination:	N.A.	4.0.1. Environmental step:	Euro 5
3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel:	N.A.	4.0.6. Sound level measured according to:	N.A.
3.1.2.1. Manufacturer:	JINYI YUFENG VEHICLE CO., LTD.	4.0.6.1. Stationary:	N.A.
3.1.2.2. Electric motor code (as marked on the engine or other means of identification):		4.0.6.2. Drive-by:	N.A.
	150YC4831303NA/2020070028	4.0.6.3. Limit value for L_{urban} :	N.A.
3.3.3.4. $\pm 5/30$ minutes power:	1.8 kW	3.2.15. Exhaust emissions measured according to	N.A.
at 2900 min ⁻¹		3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:	
3.1.3.1. Manufacturer:	N.A.	CO :	N.A.
3.1.3.2. Application code (as marked on the engine or other means of identification):	N.A.	THC :	N.A.
3.3.1. Electric vehicle configuration: pure electric/hybrid electric/motor—electric		NMHC :	N.A.
3.3.5.2. Category of hybrid electric vehicle: off-vehicle-charging/not-off-vehicle-charging	N.A.	NOx :	N.A.
3.9.2. Maximum assistance factor:	N.A.	THC+NOx :	N.A.
		PM :	N.A.
Maximum speed		3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:	N.A.
1.8. Maximum speed of vehicle:	28 km/h		
3.9.3. Maximum vehicle speed for which the electric motor gives assistance:	N.A.	3.2.15.3. Smoke corrected absorption coefficient:	N.A.
Drive-train and control		Energy efficiency	
3.5.3.9. Transmission (type):	M	4.0.2. Fuel consumption:	N.A.
3.5.4. Gear ratios:	High: 8.3; Low: 20.3	4.0.3. CO ₂ emissions:	N.A.
3.5.4.1. Final drive ratio:	N.A.	4.0.4. Energy consumption:	54 Wh/km
3.5.4.2. Overall gear ratio in highest gear:	N.A.	4.0.5. Electric range:	23 km
Installation of tyres		Conversion of the performance of the vehicle:	
6.18.1.1. Tyre size designation:		8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa:	N.A.
Front: 3.00-12 47J 250kPa 2.10x12;			
Rear: 3.00-12 47J 250kPa 2.10x12;		Additional information:	N.A.
Sidecar wheel:	N.A.	9.1. Remarks:	N.A.
Bodywork		9.2. Exemptions:	N.A.
6.20.2.1. Door configuration and number of doors:	N.A.		